

Mandatory Public Disclosure

A. GENERAL INFORMATION

SL. NO.	INFORMATION	DETAILS
1.	NAME OF THE SCHOOL	St. PETER'S CONVENT
2.	AFFILIATION NUMBER (IF APPLICABLE)	UCU0158
3.	SCHOOL CODE (IF APPLICABLE)	85429
4.	COMPLETE ADDRESS WITH PIN CODE	C-BLOCK, VIKASPURI, NEW DELHI-18
5.	PRINCIPAL NAME & QUALIFICATION	MS. ANDREA MARIA GHAGRE M.A., B.ED.
6.	SCHOOL EMAIL ID	SPC.JUNIORS@GMAIL.COM
7.	CONTACT DETAILS (LANDLINE/ MOBILE)	01145532411/ 9599189043

B. DOCUMENTS AND INFORMATION

SL. NO.	DOCUMENTS/ INFORMATION	
1.	COPIES OF SOCIETIES/ TRUST/ COMPANY REGISTRATION/ RENEWAL CERTIFICATE, AS APPLICABLE	Registered Under Societies Registration Act XXI, 1860 No. S/12107 of 1977

4.

COPIES OF RECOGNITION
CERTIFICATE UNDER RTE ACT,
2009, AND IT'S RENEWAL IF
APPLICABLE

OFFICE OF THE DY. DIRECTOR OF EDUCATION
JALPAIGURI DISTRICT, JALPAIGURI, WEST BENGAL
Date: 24/2/92




To
The Manager,
St. Peter's Convent,
G-Bock, Vikasuri, New Delhi-110016.

Sub:- Upgradation of St. Peter's Convent from Middle to Secondary level w.e.f. the academic session 1991-92 (without aid).

Sir,
With reference to your application on the subject cited above, I am directed to convey the approval of the Director of Education, Delhi for the upgradation of St. Peter's Convent from Middle to Secondary level without aid for streams only with effect from the academic session 1991-92, subject to the fulfilment of the following terms and conditions:-

1. That the school shall abide by the provisions of DSEA, 1973 and DSER, 1973 framed thereunder as well as the instructions issued from time to time.
2. That the school shall admit students without any discrimination of caste and creed.
3. That the school shall meet the additional liability of secondary/Sr. secondary classes.
4. That proper library shall be established and facilities for reading room shall also be made available for students as well as teachers. Books as per the ration of 10 books per student shall be purchased and made available to the students.
5. That adequate sports material shall be purchased and made available to the students.
6. That the school shall strictly abide by the provisions of section 10(1) of the DSEA, 1973.
7. That the school shall not run any unrecognised classes or any other activities within the school premises and all the recognised classes shall be run at one place at the premises of school immediately, if any.
8. That the schools shall dispense with the services of unqualified and over-aged staff, if any, immediately.
9. That the service contract between the management and employees shall be executed immediately.
10. Fresh Health Certificate from MCD be obtained and produced to E.O. for verification.
11. That the Management Committee shall regulate the function of school strictly in accordance with the provisions of DSEA and DSER, 1973.
12. That the Managing Committee of the school shall not increase fee in future academic sessions without prior approval of the Director of Education, Delhi which is a mandatory requirement under sub-section (3) of Section-17 of DSEA, 1973.
13. That all the facilities prescribed under Rule 50 & 51 of the DSER, 1973 shall be made available to the students.
14. Proof to the effect that qualified staff has been appointed as per R.A.S. be provided for verification to E.O.
15. That the staff has been paid all arrears and being paid as per Fourth Pay Commission. Proof be given to E.O. for verification.
16. That the arrangements for good drinking water shall be made available to all the students as well as to the teacher and sanitary facilities shall also be provided to the students adequately. Health Certificate may be obtained from the local body within a month.
17. That the school shall comply with the norms of the CBSE for affiliation for examination purposes.
18. Medical facilities/leave, LTC, bonus, Teaching allowance, CPF etc. be paid since recognition of school.
19. Provident Fund Register be maintained and cash book be completed and shown to E.O. of the Zone concerned for verification from time to time.
20. That the violation of any instructions/conditions/rules and regulations of the Deptt. shall lead to the withdrawal of recognition/upgradation of the school.

Contd....p/3

		<div data-bbox="774 73 1364 929"> <p>21. That the report about the fulfillment of the above conditions shall be sent to the E.O. every six months.</p> <p>22. Sufficient and qualified staff will be appointed for the Secondary level school as per norms of CBSE, Delhi.</p> <p>(**)</p> <p>Yours faithfully,  (Y.P. PURANG) DY.DIRECTOR OF EDUCATION DISTT.WEST</p> <p>No.F.DW/121/3 (25)/2-25/9 1/ Dated:</p> <p>Copy forwarded to:-</p> <ol style="list-style-type: none"> 1. The Addl.D.S.(S), Dte.of Edu., Delhi. 2. C.D.E.(FIS), Dte.of Edu., Delhi. 3. D.D.E.(Ac), Dte.of Edu., Delhi. 4. R.O.(Stat.Unit), Dte.of Edu., Delhi. 5. E.O. Zone- 25. 6. Secretary, CBSE, Preet Vihar, Delhi-110092 for affiliation purpose. 7. Personal Branch of DDE (W). <p>(Y.P. PURANG) DY.DIRECTOR OF EDUCATION DISTT.WEST</p> <p>(**) 23. Science Labs. shall be equipped for Secondary level school as per norms of the CBSE.</p> <p>24. Minimum 3 (three) months salary of the staff should be available as "Reserve Fund" in the joint name of the Director of Education, Delhi and the Manager of the school with the specific instructions to the Bank that the Director of Edu., Delhi can operate the account individually in case of default in the payment of salaries to the staff. Salary will be paid as per Govt. norms.</p> <p> (Y.P. PURANG) DY.DIRECTOR OF EDUCATION DISTT.WEST</p> </div>
5.	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	<div data-bbox="694 952 1468 1960"> <p>D.P.BABBAR & ASSOCIATES STRUCTURAL ENGINEER E-1/11, Flat No-50, Sector-15, Rohini, Delhi. Ph- 9313907593</p> <p>DATED : - 24-07-2023</p> <p>BUILDING FITNESS CERTIFICATE</p> <p>Certified that structural parts of St. Peter's Convent School 'C' Block Vikaspuri, New Delhi -110018. Running under Management of Vikas Education Society has Ground Plus two storyed, have been designed on the basis of area calculation and considered safe in accordance with the permissible stresses and slenderness ratio and as per the latest I.S. Code according to earthquake.</p> <p>It is also certified that the structural design i/c safety from natural hazard on soil conditions has been incorporated in the design of building.</p> <p> Sign. of Structural Engineer Er. Dharampal Babbar (MCD Empanelled Structure Engineer) (Regd. No.- E/00875)</p> <p>Er. DHARAMPAL BABBAR Regd. No. E-00875 ARCHITECT & ENGINEER E-1/11/50, Sector-15, Rohini Delhi, Ph. 9327832017</p> </div>

6.

COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY

C 30

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE
NEW DELHI-110 001.

No.F.6/DFS/MS/School/2023/SZ/ 507 Dated: 14/11/2023

FIRE SAFETY CERTIFICATE

Certified that the St. Peter's Convent, Block 'C', Vikas Puri, New Delhi-110018 comprised of basement, ground floor plus two upper floors, having total 40 rooms (including class rooms, office, store & Lab etc.) owned/occupied by St. Peter's Convent was issued Fire Safety Certificate by this department vide letter no. F.6/DFS/MS/School/2020/SZ/508 dated 17/11/2020. The School building was re-inspected by the officer concerned of this department on 06/11/2023 in the presence of Smt. Andrea (Principal) and found that the building have deemed complied the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules, 2010 and that the building/ premises is fit for occupancy class "Educational" for a period of three years in accordance with Rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule-38 of the Delhi Fire Service Rules, 2010 printed as below.

Issued on.....14/11/2023..... at New Delhi.

(Signature)
(AFD L GARG)
DIRECTOR
DELHI FIRE SERVICE

Copy to:-


1. The Principal,
St. Peter's Convent, Block 'C',
Vikas Puri, New Delhi-110018
2. Director of Education,
Govt. of NCT of Delhi, Old Secretariat,
New Delhi-110054.

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
4. The trained staff should be available round the clock.
5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
7. Basement shall be used as per the building bye laws and small cellar should be kept closed, if opened FSC will be null & void.
8. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
9. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.
10. In case of usage of basement for schooling purpose then FSC will be null & void.

9.

COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES

Dell Environmental Monitoring Centre Pvt. Ltd. 

Certified By ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007

visit us www.dellilabs.in CIN : U93000DL2012PTC230051

Test Report
(Water Analysis)

Test Report No.	DEMC/21/04/SPCS/02WA	Issue date	07/04/2021
Issued To	St. Peter's Convent School C-Block, Vikas Puri New Delhi-110018	Date of sample collection	02/04/2021
		Sample collected by	DEMCP
		Protocol used for analysis	IS 1622 IS 10500-2012 IS 3025 & APHA
Source of sample	Drinking Water Sample Collect from Reception	Page	1 of 1

Sl. No.	Parameter	Results	Permissible Limits (In the absence of alternate source)
1.	Colour, Hazen	Colourless	5 (15) Max
2.	Odour	Un objectionable	Un objectionable
3.	Taste	Agreeable	Agreeable
4.	Turbidity, NTU	< 1	1(10) Max
5.	PH	7.56	6.5-8.5
6.	Total Hardness as CaCO ₃ , Mg/l	46	200(600) Max
7.	Chloride as Cl, Mg/l	14	250(1000) Max
8.	Total Iron as Fe, Mg/l	0.02	0.3 Max
9.	Total Dissolved Solids, Mg/l	163	500(2000) Max
10.	RFC, Mg/l	Nil	0.2 (1) Max
11.	Sulphates as SO ₄ , Mg/l	9.2	200(400) Max
12.	Nitrates as NO ₃ , Mg/l	3.6	45(100) Max
13.	Fluorides as F, Mg/l	1.04	1.0(1.5) Max
14.	Lead as Pb, Mg/l	BDL	0.05 Max
15.	Copper as Cu, Mg/l	BDL	0.05(1.5) Max
16.	Manganese as Mn, Mg/l	BDL	0.1(0.3) Max
17.	Phenolic Compound as C ₆ H ₅ OH, Mg/l	BDL	0.001(0.002) Max
18.	Mercury as Hg, Mg/l	BDL	0.001 Max
19.	Cadmium as Cd, Mg/l	BDL	0.01 Max
20.	Selenium as Se, Mg/l	BDL	0.01 Max
21.	Arsenic as As, Mg/l	BDL	0.05 Max
22.	Cyanide as Cn, Mg/l	BDL	0.05 Max
23.	Zinc as Zn, Mg/l	ND	5(15) Max
24.	Detergent as MBAS, Mg/l	BDL	0.2(1.0) Max
25.	Chromium as Cr+6, Mg/l	BDL	0.05 Max
26.	Total Alkalinity as CaCO ₃ , Mg/l	107	200 Max
27.	Aluminum as Al, Mg/l	BDL	0.03 (0.2) Max
28.	Boron as B, Mg/l	BDL	1 Max
29.	Barium as Ba, Mg/l	BDL	0.7 Max
30.	Chloramines as Cl ₂ , Mg/l	BDL	4.0 Max
31.	Mineral Oil, Mg/l	BDL	0.5 Max
32.	Bacteriological Analysis		
	Coliform, MPN/100ml	Nil	Negative
	E-coli/100ml	Negative	Negative

Note: BDL: Below Detection Limit

Remark: Terms & Conditions Mentioned Overleaf.

Total No. of Parameter Tested: 32

-O-

Regd. Lab :

Plot No. 1E, 1st & 2nd Floor, Shiv Vihar West

Vikas Nagar, Uttam Nagar, New Delhi-59 India

Contact : +91 011 25634606, 7011987165

Mob : 7217618147


E-Mail : demdelhi@yahoo.co.in, director@dellilabs.in

P.SL No. : _____

Date : _____


WhatsApp App. : +91 7011987165, 7217618147

Branch Labs In India : Mumbai, Ahmedabad, Lucknow, Nagpur, Manali, Bhukarwar, Bengaluru .



Authorized Signatory

NOTE : THE SCHOOLS NEED TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/ MANAGER/ SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.



St Peter's Convent

C-Block Vikaspuri, New Delhi-110018

Exemplary Performance of Peterians at CBSE AISSCE 2023-24



Gurkirat Singh

91.4%



Simar Arora

91.8%



Sahaj Lamba

90%



Devesh Tyagi

88.6%



Parineeka

88.2%



Ishita Dubey

87.6%



Lavish Prasad

87.6%



Anshika Mittal

87.2%



Nicole

87%



Anushka Garg

85.6%



Chhavi Gupta

85.2%



Asees Kaur

84.6%

SUBJECT-WISE TOPPERS



Yashika Sharma

95 English



Simar Arora

92 Hindi



Yashvi Tyagi

98 Sanskrit



Gurkirat Singh

99 Mathematics



Gurkirat Singh

97 Science



Chhavi Gupta

97 Social Science

RESULT CLASS : XII

NA

C. SCHOOL INFRASTRUCTURE

S L. N O.	INFORMATION	DETAILS
1.	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	1000 SQ. MTRS.
2.	NO. AND SIZE OF THE CLASS ROOMS (IN SQ FT MTR)	39 (250 SQ. FT. MTR.)
3.	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	2 (100 SQ. MTRS.)
4.	INTERNET FACILITY (Y/ N)	Y
5.	NO. OF GIRLS TOILETS	10
6.	NO. OF BOYS TOILETS	9
7.	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	https://youtu.be/usxBIPLfcgY

FEE STRUCTURE:

CLASS	TUITION FEE	DEVELOPMENT CHARGES	ANNUAL CHARGES	CAL CHARGES	EXAM FEE	SOFTWARE CHARGES	ACTIVITY CHARGES
	MONTHLY	MONTHLY	YEARLY	MONTHLY	YEARLY	MONTHLY	MONTHLY
PRE SCHOOL	3473	521	5106	250	408	50	353
PRE PRIMARY	3473	521	5106	250	408	50	353
I	2845	427	4646	250	372	50	
II	3169	475	4646	250	548	50	
III	3169	475	4646	250	548	50	
IV	3169	475	4646	250	548	50	
V	3169	475	4646	250	548	50	
VI	3435	515	4646	250	751	50	
VII	3435	515	4646	250	751	50	
VIII	3435	515	4646	250	751	50	
IX	3816	572	4646	250	751	50	
X	3816	572	4646	250	875	50	